

References for ***Maca, Wonder Herb For Fertility...***

By Hethir Rodriguez, C.H., C.M.T.

- Meissner, H. O., Kapczynski, W., Mscisz, A., & Lutomski, J. (2005). Use of gelatinized maca (*Lepidium peruvianum*) in early postmenopausal women. *International journal of biomedical science: IJBS*, 1(1), 33. Retrieved online from: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3614576/>
- Gonzales, G. F., Cordova, A., Gonzales, C., Chung, A., Vega, K., & Villena, A. (2001). *Lepidium meyenii* (Maca) improved semen parameters in adult men. *Asian Journal of Andrology*, 3(4), 301-304.
- Ostrowski-Meissner, H., Kapczyński, W., Mścisz, A., & Lutomski, J. (2003). An attempt to use Maca (*Lepidium peruvianum*) in postmenopausal women. *Postępy Fitoterapii*. Retrieved online from: <http://www.czytelniamedyczna.pl/2515,proba-zastosowania-maca-lepidium-peruvianum-u-kobiet-w-okresie-wczesnej-postmeno.html>
- Muller V. Maca in Hormone Replacement Therapy. *Whole World Botanicals Report*; 1-7
- Muller V. (2002). South American Herb Maca as Alternative to Hormone Replacement Therapy. *Whole World Botanicals Report*; 11.
- Walker M. (1998). Effect of Peruvian Maca on Hormonal Functions. *Townsend Letter for Doctors and Patients*; 11: 18.
- Cicero, A. F. G., Piacente, S., Plaza, A., Sala, E., Arletti, R., & Pizza, C. (2002). Hexanic Maca extract improves rat sexual performance more effectively than methanolic and chloroformic Maca extracts. *Andrologia*, 34(3), 177-179.
- Gonzales, G. F., Ruiz, A., Gonzales, C., Villegas, L., & Cordova, A. (2001). Effect of *Lepidium meyenii* (maca) roots on spermatogenesis of male rats. *Asian J Androl*, 3(3), 231-3.
- Cicero, A. F., Bandieri, E., & Arletti, R. (2001). *Lepidium meyenii* Walp. improves sexual behaviour in male rats independently from its action on spontaneous locomotor activity. *Journal of Ethnopharmacology*, 75(2), 225-229.
- Li, G., Ammermann, U., & Quirós, C. F. (2001). Glucosinolate contents in maca (*Lepidium peruvianum* Chacon) seeds, sprouts, mature plants and several derived commercial products. *Economic botany*, 55(2), 255-262.
- Dini, A., Migliuolo, G., Rastrelli, L., Saturnino, P., & Schettino, O. (1994). Chemical composition of *Lepidium meyenii*. *Food chemistry*, 49(4), 347-349.
- Fahey, J. W., Zalcmann, A. T., & Talalay, P. (2001). The chemical diversity and distribution of glucosinolates and isothiocyanates among plants. *Phytochemistry*, 56(1), 5-51.
- Ganzera, M., Zhao, J., Muhammad, I., & Khan, I. A. (2002). Chemical profiling and standardization of *Lepidium meyenii* (Maca) by reversed phase high performance liquid chromatography. *Chemical and pharmaceutical bulletin*, 50(7), 988-991.
- Sandovala, M., Okuhamaa, N. N., Angelesa, F. M., Melchora, V. V., Condezob, L. A., Laob, J., & Millera, M. J. (2002). Antioxidant activity of the cruciferous vegetable Maca (*Lepidium meyenii*). *Food Chemistry*, 79(207), 17.
- Clément, Céline; Diaz Grados; Diego A.; Bharathi A.; Khan I. A.; Mayer A. C.; Ponce A.; Dante D.; Manrique I.; Kreuzer M. (2010). Influence of colour type and previous cultivation on secondary metabolites in hypocotyls and leaves of maca (*Lepidium meyenii* Walpers). *Journal of the Science of Food and Agriculture* 90 (5): 861–869.